



7200141

WHE UNIVERD SHAVES OF ANTERIOA

TO ALL TO WHOM THESE PRESENTS SHALL COME: Stubbs Seed Services, Inc.

TUltereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW in such cases made and provided have BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF SEVENTERN YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT RIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT

PEA

'Gentry'

In Testimony Wincrest, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this 25th day of April in the year of our Lord one thousand nine hundred and seventy-four

Earl L. But

Secretary of Agriculture

UNITED STATES DEPARTMENT OF AGRICULTURE CONSUMER AND MARKETING SERVICE GRAIN DIVISION HYATTSVILLE, MARYLAND 20782

FORM APPROVED OMB NO. 40-R3712

STRUCTIONS: See Reverse. VARIETY NAME OR TEMPORARY	2. KIND NAME		FOR OFFICIAL USE ONLY		
DESIGNATION GENTRY	Alaska		PVPO NUMBER 141		
GENUS AND SPECIES NAME	4. FAMILY NAME (Botanical)		615172	3:00 P.M.	
Pisum sativum	5. DATE OF DETERM July, 1		FEE RECEIVED	CHARGES	
NAME OF APPLICANT(S)	7. ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code)		8. TELEPHONE AREA CODE AND NUMBER		
Stubbs Seed Services, Inc.	Stubbs Seed Services, Inc. P. O. Box 475, Troy Road Moscow, Idaho 83843			208-882-2712	
. IF THE NAMED APPLICANT IS NOT A PER ORGANIZATION: (Corporation, partnership, a	SON, FORM OF	10. STATE OF INCO	PORATION	11. DATE OF INCOR- PORATION	
Corporation	Idaho			January, 196	
Name and mailing address of applica), if any, to serve	in this application a	nd receive all papers:	
Ronald A. Robinson, P Stubbs Seed Services, P. O. Box 475 Moscow, Idaho 83843					
3. CHECK BOX BELOW FOR EACH ATTACH	MENT SUBMITTED:				
X 12A. Exhibit A, Origin and Breed	ding History of the	Variety (See Sect	ion 52, P.L. 91-577)		
X 128. Exhibit B, Botanical Descri	ription of the Variet	у			
12c. Exhibit C, Objective Descr	iption of the Variet	у			
X 12D. Exhibit D, Data Indicative	of Novelty				
X 12E. Exhibit E, Statement of the					
The applicant declares that a viable stance of a certificate and will be reple (See Section 52, P.L. 91-577).	nished periodically	in accordance wi	th such regulations as	may be applicable.	
4A. Does the applicant(s) specify that (See Section 83(a), P.L. 91-577) (1	seed of this variety If "Yes," answer 1	4B and 14C belou	y.) YES ENO		
148. Does the applicant(s) specify that limited as to number of generation	beyond bree	If "Yes," to 14B, how many generations of production beyond breeder seed?			
Applicant is informed that false repres	sentation herein can	jeopardize prote	ction and result in per	nalties.	
The undersigned applicant(s) of this s uniform, and stable as required in Sec. Plant Variety Protection Act (P.L. 91	tion 41 and is entit	novel plant varie led to protection	ty believes that the vo	ariety is distinct, f Section 42 of the	
May 31, 1972		Donal	GIGNATURE OF LAPRIC	ANT)	
(DATE)		· /	STATE OF ANY AND	1	
(DATE)			SIGNATURE OF APPLIC	ANT)	

RECEIVE 1972 STATE OF THE STATE

INSTRUCTIONS

GENERAL: Send an original copy of the application, exhibits and \$50.00 fee to U.S. Dept. of Agriculture, Consumer and Marketing Service, Grain Division, Hyattsville, Maryland 20782. Retain one copy for your files. All items on the face of the form are self-explanatory unles noted below.

ITEM

- 5 Insert the date the applicant determined that he had a new variety.
- 12a First, give the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method. Second, give the details of subsequent stages of selection and multiplication. Third, indicate the type and frequency of variants during reproduction and multiplication and state how these variants may be identified. Fourth, provide evidence on stability.
- 12b First, give any special characteristics of the seed and of the plant as it passes through the seedling stage, flowering stage and the fruiting stage. Second, describe the mature plant and compare it with a similar commercial variety grown under the same conditions, and indicate the differences.
- 12c A supplemental form will be furnished by the PVPO to describe in detail a variety for each kind of seed.
- 12d Provide complete data indicative of novelty. Seed and plant specimens may be submitted and seeds submitted may be sterile. Where possible, include photographs of plant comparisons, chemical tests, etc.
- 12e Indicate whether applicant is the actual breeder, the employer of the breeder, the owner through purchase or inheritance, etc.

. . . . -

4...

STUBBS SEED SERVICES, INC. Pisum sativum: GENTRY

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

13.

12A. Exhibit A, Origin and Breeding History of the Variety

Original stocks used in the development of the variety GENTRY were established varieties of Pisum sativum SUPERIOR and MULTIPOD. The initial cross was made in 1955 by Merl W. Stubbs.

Following the initial cross several generations were grown of the hybrid. ALASKA #6 was then crossed with initial selections of the SUPERIOR-MULTIPOD cross.

Following the second cross close selection for pod size and shape, vine height along with the smooth seeded characteristic was carried out after the ${\bf F}_2$ generation.

In 1960 and 1961 Root Rot tests were conducted to insure any potentially new variety had the desired resistance to the organisms.

In 1962 a small increase of sister lines of the above cross was made. This was again done in 1963 and at the same time several of the sister lines were destroyed as they lacked one or more characteristics that were necessary for acceptance. In 1964 Mr. Stubbs passed away so for two growing seasons no work was done on new material. In 1966 this cross and the work done on it was discovered and increasing was again carried on. In 1968 it was tested in several plots where the technical data such as plant height, heat units to canning stage, sieve size and yield potential were studied. In 1970 the limited amount of seed was increased and in 1971 a limited acreage was grown which produced enough seed to allow for limited commercial production in 1972.

Variants in this variety appear to have been almost completely removed. When this material was grown in 1966 a few plants (approximately 1 seed per 2,800 or 1 per pound) produced an earlier plant with single blossoms per node. All characteristics of the plant were the same as the characteristics now carried by GENTRY except the first fruiting node was the ninth and the blossoms and pods were borne singly. This characteristic has been selected out so under field conditions this past year it was reduced to just under 10 plants per acre or approximately 1 seed for 42,000.

12A. (Continued)

Stability has been obtained through the many generations the hybrid has been grown and the constant selection to-ward a primary set of characteristics. With Pisum sativum this is made much easier than with many other plants because of the selfing characteristic.

Stability is very evident with the extreme uniformity of plant characteristics observed under field increase conditions. Last season's production, under limited field increase, yielded approximately 10 off-type plants per acre. When planted at the rate of 150 pounds per acre this would be approximately 10 off-type plants to 400,000 normal plants.

12B. Exhibit B, Botanical Description of the Variety

The seed is round and medium to small in size. The plants emerge and develop in the same manner as the Perfection varieties of Pisum sativum. The plant, following emergence, goes through a period of development when little height is gained and the internodes remain very short. Following this a period of rapid growth is experienced at which time the plant gains most of its height. When the plant growth reaches the 10th or 11th node the buds begin to appear as these are the first fruiting nodes. These buds are generally borne in pairs on each peduncle.

The distance between fruiting nodes is very short which causes the plant to remain relatively short with the pods and blossoms clustered in the top of the plant.

The mature plant is 18 inches tall compared to regular smooth seeds varieties with a height of 30 inches.

Canning maturity, with a tenderometer reading of 100 is reached with 1320 heat units compared to 1190 for regular Alaska.

The pods are slender, long and sickel shaped. They are pointed and moderately loose compared to regular Alaska which has a blunt type pod that is generally tighter.

The stems and leaves are medium in size and moderately dark green in color compared to fine stems and leaves, long internodes and light green color in regular Alaska strains.

STUBBS SEED SERVICES, INC. Pisum sativum: GENTRY

12D. Exhibit D, Data Indicative of Novelty (Revised)

The following data and information compares GENTRY Peas with the standard Alaska Type peas.

GENTRY is assorth seeded variety with a vine type that is determinant, short and compact with short internodes and moderately coarse stems and leaves similar to Perfection types. In comparison regular Alaska peas have an indeterminant vine that is tall, long internodes and fine stems and leaves.

Plant height of GENTRY is 18 inches compared to 30 inches for regular Alaska types.

The first fruiting node of GENTRY is generally the 11th compared to the 9th for regular Alaska.

Pods of GENTRY are slightly sickel shaped and somewhat pointed and regular Alaska types have a straight, blunt pod.

GENTRY requires 1320 heat units to reach a tenderometer maturity of 100 and regular Alaska types require approximately 1190 heat units for the same maturity.

As stated at the beginning of EXHIBIT D the foregoing information compares GENTRY with regular Alaska types of peas as both the GENTRY are smooth seeded in the mature stage even though the vine types are very different. Information on any smooth seeded variety with the vine characteristics of GENTRY has not been found; however, we know of two lines of peas currently produced by the Green Giant Company that more nearly resembles GENTRY than any other varieties. These lines are produced under the numbers of 394 and 359.

These two lines are very much alike and difficult to tell apart in the field. Lines #394 and #359 have similar growth habits to GENTRY in that the internodes are short, vines determinant and heavily double podded.

Both of the numbered lines are slightly taller than GENTRY. GENTRY has a coarser stem and leaf than either line. When produced under identical conditions GENTRY produces a slightly larger seed with a count of 2680 per pound compared to 2850 for the two numbered lines.

The dry seed of GENTRY is very uniformly round, green and very smooth with very little or no dimpling where, in contrast, both #394 and #359 are less uniformly round and more flat or dimpled. Also a very important difference is that GENTRY is free of any physiological spotting in the dry stage where both #394 and #359 show some this characteristic.

STUBBS SEED SERVICES, INC. Pisum sativum: GENTRY

12D. Exhibit D, Data Indicative of Novelty

GENTRY is a smooth seed variety of Pisum sativum with a seed count of approximately 2,680 peas per pound. 1699 m./1000 This compares with 2,100 peas per pound for Regular 2169 m./1000 Alaska and 2,950 peas per pound for Regular Small 1549 m./1000 Sieve Alaska.

GENTRY is a smooth seed variety with a vine that is determinant, short, compact with moderately coarse stems and leaves. This is a Perfection type vine. Fact same written The Regular Alaska has an indeterminant vine with long internodes and fine stem and leaves.

Plant height of GENTRY is 18 inches compared to 30^{-76} inches for Regular Alaska.

The first fruiting node on GENTRY is 11 with an occasional 10th node plant compared to 9 for Regular Alaskas.

The pods are slender, sickel shaped and pointed and moderately dark green in color. This compares to Regular Alaska with a blunt, slightly tighter, straight pod that is light green.

GENTRY requires 1320 heat units to reach tenderometer maturity of 100 compared to 1190 units for Regular Alaska.

12E. Exhibit E, Statement of the Basis of Applicant's Ownership

Merl W. Stubbs did the original crossing, selecting and testing of this variety until his death in 1964. In 1965 I became manager of the company and continued working with the material Mr. Stubbs had developed or selected. In 1969 I purchased the company. With the purchase of the company all facilities, seed stocks and breeding stock were purchased. GENTRY was among the breeding stocks included in this purchase.

FORM GR-470-14 (10-2-72)

UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE

EXHIBIT C

GRAIN DIVISION HYATTSVILLE, MARYLAND 20782

OBJECTIVE DESCRIPTION OF VARIETY

PEA (PISUM SATIVUM) INSTRUCTIONS: See Reverse. FOR OFFICIAL USE ONLY NAME OF APPLICANTIS STUBBS SEED SERVICES, INC.
ADDRESS (Street and No. or R. F.D. No., City, State, and ZIP Code) 72141 VARIETY NAME OR TEMPORARY DESIGNATION P. O. BOX 475 Gentry Moscow, IDAHO 83843 Place the appropriate number that describes the varietal character of this variety in the boxes below. Place a zero in first box (e.g. 0 8 9 or 0 9) when number is either 99 or less or 9 or less. 1. TYPE: 1 = TALL (Internodes straight) 2 = FIELD 3 = EDIBLE-PODDED 1 = GARDEN 2 = DWARF (Internodes zigzag) 2. SEASON: ------3 = LATE (Greater than 24th node) 2 = MIDSEASON (13 - 24th node) 1 : Node number of first bloom: 1 = EARLY (8 - 12th node) 3. MATURITY: 2 = THOMAS LAXTON WR 3 = LITTLE MARVEL 1 = ALASKA WR 5 No. of days Earlier than 4 6 - AUSTRIAN WINTER 5 = ALDERMAN WR 4 = WANDO No. of days Later than 4. PLANT HEIGHT: 4 4 CM. HIGH Ю 2 = THOMAS LAXTON WR 3 = LITTLE MARVEL 1 = ALASKA WR Cm. Shorter than 6 - AUSTRIAN WINTER 5 - ALDERMAN WR 4 = WANDO [0 Cm. Taller than 3 = HEAVY (Alderman) 5, VINE: 1 # SLIM (Alaska) Stockiness: 2 = MEDIUM (Thomas Laxton WR) 1 = DETERMINATE 2 = INDETERMINATE 1 Habit: (Occasional) 2 = 1 - 2 BRANCHES (Little Marvel) 3 = MORE THAN 2 BRANCHES (Dwarf Gray Sugar) 2 Branching: 1 = NONE (Alaska) NUMBER OF NODES to first fruiting node 1 1 Node Color: 1 = GREEN 2 = RED BLOTCH CM. INTERNODE LENGTH (Just below 1st flowering node) 3 = DARK GREEN (Alderman) 6. LEAFLETS: 2 = MED. GREEN (Thomas Laxton WR) 1 = LIGHT GREEN (Alaska WR) 4 = OTHER (Specify) 2 Color: 1 = NONE 2 = MARBLED (Alaska) 2 Marbling: Wax: 1 = NONE 2 = LIGHT 3 = MEDIUM 4 = HEAVY 4 - THREE OR MORE 3 = TWO 2 = ONE 1 = NOT PAIRED Number of leaflet pairs: 3 7. STIPULES: 1 = NOT CLASPING 2 = CLASPING 1 1 = LACKING 2 = PRESENT 2 1 = SMALLER 2 = SAME Size (Compared with leaflets): 3 = LARGER 1 = NOT MARBLED 2 = MARBLED 2 2 Color (Compared with leaflets): 1 = LIGHTER 2 = SAME 3 = DARKER 8. FLOWER COLOR: 5 1 = MONOCOLOR 2 = BICOLOR 4 = PURPLE 3 - LAVENDER 1 - WHITE 2 - GREENISH Keel 2 6 = OTHER (Specify) Standard 5 = RED

ORM GR-470-14 (REVERSE)			- 5 tx -	
ORM GR-470-14 (REVEROES). PODS:				
1 = STRAIG Shape: 3 = CURVE		End: 1 = POINTED	(Alderman) 2 = BLUNT (Alaska)	
2 Color: 1 = LIGHT 0 4 = OTHER	GREEN (Alaska WR) 2 = MEDIUM GREEN (Specify)	3 = DARK GREEN (A	derman)	
1 Surface: 1 = SMOOT	H 2=ROUGH 1_	1 = SHINY		
3 Borne		E 4 = SINGLE, DOUB	LE, & TRIPLE 5 = DOUBLE & TRIPLE	
	7 = OTHER (Specify)	n sutures) 8	NUMBER OF SEEDS PER POD	
7 CM. LENGTH				
10. SEEDS (95 - 100 Tender 1 = LIGHT GI 4 = OTHER (9	REEN (Perfection Canner) 2 = GREEN (Little	e Marvel) 3 = DARK G	REEN (Dark Skin Perfection)	
	 _	OUNDED		
<u></u>	TH 2 = DIMPLED 3 = WRINKLED	Surface: 1 = SHINY	2 = DULL	
SEEDS (Mature, Dry):		4.0		
1 Color: 1 = MONOCO	OLOR 2 = BICOLOR		2 - OPEAM & GREEN (Thomas Laxton)	
Primary Color:	1 = CREAMY-WHITE (Mammoth Melting Sugar) 2 = YELLOW (Arthur	EEN (Little Marvel)	
	4 = YELLOW 5 = LIGHT GREEN (Alderm			
Secondary Color:	7 = DARK GREEN (Dark Skin Perfection) 8 11 = GRAY 12 = BLACK		·	
Color Pattern:	1 = SPLASHED 2 = MOTTLED 3 = STR			
1 Hilum Floor Color:	1 = WHITE 2 = TAN 3 = BLACK	3 Cotyledon Color: 1	= YELLOW 2 = ORANGE 3 = GREEN	
S GRAMS PER 100				
11. SEED SIEVE SIZE DIS	STRIBUTION (95 - 100) Tenderometer):	ا و السام ال		
Sieve (%): 1 0	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	03	<u></u>	
12. PLANT REACTION:	(0 = Not Tested; 1 = Susceptible; 2 = Resistant)			
O 1 = DROUGHT (War		2	3 = HEAT (Wando)	
	ested; 1 = Susceptible; 2 = Resistant) 2 NEAR-WILT	О	DOWNY MILDEW	
2 FUSARIUM WILT 2 NEARTHER 2 RACTERIAL BLIGHT				
O ASCOCHYTA BLIG	~' <u> </u>		THE STAN MACE ALC	
MOSAIC	O PEA ENATION M	OSAICO	YELLOW BEAN MOSAIC	
OTHER (Specify)		·		
14. INSECT: (0 = Not Te	sted; 1 = Susceptible; 2 = Resistant)			
O APHIDS	OTHER (Specify			
	VARIETY MOST CLOSELY RESEMBLES THAT	CHARACTER	NAME OF VARIETY	
CHARACTER		Fresh Seed Color	Alaska	
Leafiness	Early Perfection Early Perfection	Mature Seed Color	Alaska	
Leaf Color	Early Perfection	Seed Shape	Alaska	
Pod Color Pod Shape		Plant Habit	Target	
DEEDEMAGE. The fol	11	nce aid for the standard	lization of character descriptions and terms	
HEPEKENCES: THE TOP	llowing publication may be used as a reference to the series of Type temperature of Type to the series of Type	s of Principal America	n Varieties of Garden Peas. U.S.D.A.	
A 11.1	12-1, 37 D 1028 The Vegetables of New '	York. New York Agric	ultural experiment station. Vol. 1., Part 1	
	de, B. L., 1943. A Key to Pea Varieties. U. ecognized color fan may be used to determi	N D.A. CIFCUIAL 110: 07	U .	
<u>-</u>			•	